

No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight		No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight		No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight	
		MC-210Q	MC-210C			MC-210Q	MC-210C			MC-210Q	MC-210C
No. X mm ²	mm	Kg/Km	Kg/Km	No. X mm ²	mm	Kg/Km	Kg/Km	No. X mm ²	mm	Kg/Km	Kg/Km
1 X 10 rm	11.5	-	260	3 X 6 rm	16.8	510	524	10 X 1.0 rm	16.8	440	453
1 X 16 rm	12.7	-	352	3 X 10 rm	19.2	710	726	12 X 1.0 rm	18.0	500	515
1 X 25 cm	14.5	-	460	3 X 16 rm	21.4	900	918	16 X 1.0 rm	19.8	585	600
1 X 35 cm	15.8	-	620	3 X 25 cm	25.4	1302	1342	19 X 1.0 rm	21.0	670	687
1 X 50 cm	17.2	-	775	3 X 25 sm	23.9	1220	1240	24 X 1.0 rm	23.0	790	809
1 X 70 cm	19.1	-	1030	3 X 35 cm	27.6	1673	1720	27 X 1.0 rm	24.0	840	860
1 X 95 cm	20.3	-	1325	3 X 35 sm	25.1	1570	1591	37 X 1.0 rm	27.0	1080	1103
1 X 120 cm	22.8	-	1610	3 X 50 cm	30.7	2177	2211	5 X 1.5 rm	14.5	345	356
1 X 150 cm	24.8	-	1920	3 X 50 sm	27.9	2000	2024	6 X 1.5 rm	16.0	395	407
1 X 185 cm	27.2	-	2350	3 X 70 sm	32.1	2800	2833	7 X 1.5 rm	16.0	415	427
1 X 240 rm	31.6	-	2850	3 X 95 sm	36.0	3780	3820	8 X 1.5 rm	16.8	475	488
1 X 300 rm	34.7	-	3490	3 X 120 sm	40.3	4680	4743	10 X 1.5 rm	18.2	545	560
2 X 1.0 rm	11.3	205	212	3 X 150 sm	43.9	5460	5510	12 X 1.5 rm	19.2	610	626
2 X 1.5 rm	11.9	240	249	4 X 1.0 rm	12.7	255	263	16 X 1.5 rm	21.3	720	737
2 X 2.5 rm	13.0	280	290	4 X 1.5 rm	13.6	300	311	19 X 1.5 rm	22.6	820	840
2 X 4 rm	14.2	350	361	4 X 2.5 rm	14.5	370	382	24 X 1.5 rm	25.0	970	991
2 X 6 rm	16.0	440	452	4 X 4 rm	16.6	460	473	27 X 1.5 rm	26.0	1030	1052
2 X 10 rm	18.0	580	595	4 X 6 rm	18.6	600	615	37 X 1.5 rm	29.2	1330	1355
2 X 16 rm	20.2	710	726	4 X 10 rm	20.6	840	856	5 X 2.5 rm	16.1	410	420
2 X 25 cm	24.0	1026	1048	4 X 16 rm	23.2	1130	1150	6 X 2.5 rm	17.3	460	471
2 X 25 sm	20.2	900	916	4 X 25 cm	26.6	1634	1656	7 X 2.5 rm	17.3	490	501
2 X 35 cm	26.0	1294	1331	4 X 25 sm	25.4	1540	1560	8 X 2.5 rm	18.3	560	572
2 X 35 sm	22.3	1120	1138	4 X 35 cm	30.3	2101	2127	10 X 2.5 rm	19.9	670	684
2 X 50 cm	29.8	1636	1681	4 X 35 sm	28.0	1980	2004	12 X 2.5 rm	21.2	750	765
2 X 50 sm	24.8	1430	1450	4 X 50 cm	34.5	2742	2771	16 X 2.5 rm	23.2	910	930
2 X 70 cm	34.2	2207	2258	4 X 50 sm	31.0	2600	2630	19 X 2.5 rm	25.0	1040	1061
2 X 70 sm	27.8	1940	1982	4 X 70 sm	36.0	3540	3600	24 X 2.5 rm	27.4	1240	1264
2 X 95 sm	30.4	2580	2610	4 X 95 sm	40.2	4750	4790	27 X 2.5 rm	28.3	1340	1360
2 X 120 sm	34.0	3300	3340	5 X 1.0 rm	13.6	300	310	37 X 2.5 rm	32.2	1750	1778
3 X 1.0 rm	11.8	225	235	6 X 1.0 rm	14.5	325	336	5 X 4 rm	17.8	545	557
3 X 1.5 rm	12.7	260	268	7 X 1.0 rm	14.5	345	356	6 X 4 rm	19.3	630	643
3 X 2.5 rm	13.6	320	330	8 X 1.0 rm	15.8	390	402	7 X 4 rm	19.3	660	673
3 X 4 rm	14.8	400	412								

rm : Stranded Circular Non-Compacted

cm : Stranded Circular Compacted

sm : Stranded Shaped